

SERIA T 1.5-1.8t specificatii tehnice Diesel

Date generale	1	Marca		EP		
	2	Model		FD15T-NE92	FD18T-NE92	
	3	Motorizare		Diesel	Diesel	
	4	Capacitate ridicare	kg	1500	1800	
	5	Sarcina principala	mm	500	500	
Caracteristici & Dimensiuni	6	Inaltime maxima de ridicare	mm	3000	3000	
	7	Inaltime libera de ridicare	mm	120	120	
	8	Marime furci	L* l *G*	mm	920*80*40	920*80*40
	9	Unghi inclinare catarg	F/S	grade	6/12	6/12
	10	Distanta incarcare		mm	420	420
	11	Distanta contragreutate		mm	420	420
	12	Dimensiuni generale	Lungime fara furci	mm	2230	2270
	13		Latime	mm	1080	1080
	14		Inaltime catarg strins	mm	1995	1995
	15		Inaltime catarg ridicat	mm	3960	3960
	16		Inaltime acoperis protectie	mm	2070	2070
	17	Raza de intoarcere exterioara		mm	1995	2035
	18	Unghi minim de intersectare		mm	2400	2400
19	Latime coridor de lucru cu palet 800*1000 mm -AST		mm	3560	3600	
Perfomante	20	Viteza	Deplasare(fara sarcina)	Km/h	14	14
	21		Ridicare(sarcina max)	mm/sec	460	460
	22		Coborare(sarcina max)	mm/sec	450	450
	23	Forta de tractiune nominala(sarcina max)		N	17500	17500
	24	Panta maxima(sarcina max)		%	20	20

	1	Marca			EP		
	2	Model			FD15T-NE92	FD18T-NE92	
Dotari	25	Anvelope	Fata		6.50-10-10PR	6.50-10-10PR	
	26		Spate		5.00-8-10PR	5.00-8-10PR	
	27	Ecartament	Fata	mm	920	920	
	28		Spate	mm	920	920	
	29	Ampatament		mm	1430	1430	
	30	Garda la sol	Minima	mm	110	110	
	31		Centru ampatament	mm	145	145	
	Greutate	32	Greutate		kg	2700	2900
33		Distributie greutate	Sarcina max	Fata	kg	3570	3995
34				Spate	kg	630	705
35			Fara sarcina	Fata	kg	1215	1305
36				Spate	kg	1485	1595
Putere & Transmisie	37	Acumulator	Voltaj/Capacitate(20RH)		V/AH	12/60	12/60
	38	Motor	Varianta/Tipul			4TNE92	4TNE92
	39		Fabricat			YANMAR	YANMAR
	40		Putere/turatie		kw	33/2450	33/2450
	41		Nr. Cilindri			4	4
	42		Cilindree		cc	2659	2659
	43		Capacitate rezervor		L	50	50
	44		Transmisia	Fabricare			China
	45	Tip			Pawershift	Pawwershift	
	46	Viteze		Fata/spate		1/1	1/1

DIMENSIUNI

