

| | Nr. | Fabricat | | EP | | | | | | | | | |
|--------------|-----|------------------------------------|------------------|--------|----------------|----------------|--------|----------------|----------------|--------|----------------|---------------|--|
| | | | | CPD15J | CPD15J - C1 | CPD15J - D1 | CPD18J | CPD18J - C1 | CPD18J - D1 | CPD20J | CPD20J - C1 | CPD20J -D1 | |
| Specificatii | 1 | Model | | CPD15J | CPD15J - C1 | CPD15J - D1 | CPD18J | CPD18J - C1 | CPD18J - D1 | CPD20J | CPD20J - C1 | CPD20J -D1 | |
| | 2 | Capacitate ridicare | kg | 1500 | | | 1750 | | | 2000 | | | |
| | 3 | Sarcina principala | mm | 500 | | | 500 | | | 500 | | | |
| | 4 | Inaltime maxima de ridicare | mm | 3000 | | | 3000 | | | 3000 | | | |
| | 5 | Inaltime libera de ridicare | mm | 135 | | | 135 | | | 140 | | | |
| | 6 | Marime furci | g *l*L | mm | 35x120x900 | | | 35x120x900 | | | 40x130x1070 | | |
| | 7 | Unghi inclinare | F/S | gr | 5/10 | | | 5/10 | | | 5/10 | | |
| Dimensiuni | 8 | Dimensiuni generale | Lung. fara furci | mm | 2080 | | | 2115 | | | 2275 | | |
| | 9 | | Latime | mm | 1060 | | | 1138 | | | 1265 | | |
| | 10 | | H catarg strans | mm | 1995 | | | 1995 | | | 2070 | | |
| | 11 | | H catarg ridicat | mm | 3935 | | | 3935 | | | 4040 | | |
| | 12 | | H acoperis | mm | 2075 | | | 2075 | | | 2090 | | |
| | 13 | | Inaltime scaun | mm | 1030 | | | 1030 | | | 1070 | | |
| | 14 | Raza de intoarcere exterioara min. | mm | 1780 | | | 1815 | | | 2040 | | | |
| | 15 | Distanta incarcare / Fata | mm | 406 | | | 406 | | | 455 | | | |
| | 16 | Ecartament | Fata | mm | 888 | | | 888 | | | 1058 | | |
| | 17 | Ecartament | Spate | mm | 879,5 | | | 879,5 | | | 960 | | |
| | 18 | Garda la sol | Min. | mm | 110 | | | 110 | | | 120 | | |
| | 19 | Ampatament | mm | 1380 | | | 1380 | | | 1485 | | | |
| | 20 | Extindere furci | Min./Max. | mm | 240/1000 | | | 240/1000 | | | 200/1038 | | |
| | 21 | Spatiu de lucru cu palet | 1000x1200 | mm | 3556 | | | 3591 | | | 3720 | | |
| | 22 | | 800x1200 | mm | 3655 | | | 3690 | | | 3820 | | |

| | | | | | | | | | | | | | |
|-------------|----|---------------------------------|-----------------|------|-----------|--------|---------|-----------|--------|---------|-----------|--------|---------|
| Performante | 23 | Viteza | Deplasare liber | km/h | 12 | 14 | 14 | 12,5 | 13,5 | 13,5 | 12 | 14 | 14 |
| | 24 | | Deplasare sarc. | Km/h | 13 | 14 | 14 | 13 | 14 | 14 | 13 | 14 | 14 |
| | 25 | | Ridicare sarc. | mm/s | 290 | 300 | 300 | 285 | 295 | 295 | 280 | 290 | 290 |
| | 26 | | Ridicare liber | mm/s | 440 | 450 | 450 | 430 | 440 | 440 | 440 | 450 | 450 |
| | 27 | | Coborare sarc. | mm/s | 460 | | | 470 | | | 470 | | |
| | 28 | | Coborare liber | mm/s | 430 | | | 430 | | | 440 | | |
| | 29 | Panta | Cu sarcina | % | 13 | 15 | 15 | 13 | 15 | 15 | 12 | 13 | 13 |
| | 30 | | Fara sarcina | % | 14 | 16 | 16 | 14 | 16 | 16 | 13 | 14 | 14 |
| | 31 | Greutate inclusiv cutie baterie | | kg | 2940 | | | 3090 | | | 3700 | | |
| | 32 | Sarcina ax fata/spate | Cu sarcina | kg | 3900/540 | | | 4300/590 | | | 5016/684 | | |
| | 33 | | Fara sarcina | kg | 1353/1587 | | | 1650/1440 | | | 1628/2070 | | |
| | 34 | Pneuri | Fata x 2 | | 6.00-9 | | | 21x8-9 | | | 23x9-10 | | |
| | 35 | | Spate x 2 | | 5.00-8 | | | 5.00-8 | | | 18x9-10 | | |
| Conducere | 36 | Motor | Motor x 2 | kw | 5.4 | 8 | 8 | 5.4 | 8 | 8 | 7 | 10,5 | 10,5 |
| | 37 | | Pompa motor | kw | 8.2 | 7.8 | 7.8 | 8.2 | 7.8 | 7.8 | 8,6 | 11 | 11 |
| | 38 | Baterie | Standard | V/AH | 48/420 | | | 48/420 | | | 48/630 | | |
| | 39 | Greutate baterie + cutie (STD) | | | 760 | | | 760 | | | 998 | | |
| | 40 | Unitate de control | Tip | | MOSFET | | | MOSFET | | | MOSFET | | |
| | 41 | | Fabricat | | CURTIS | CURTIS | Danaher | CURTIS | CURTIS | Danaher | CURTIS | CURTIS | Danaher |
| | 42 | Nivel zgomot | | dB | 70 | | | 70 | | | 71 | | |

DIMENSIUNI

